## **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :		(1	1) International Publication Number:	WO 96/15768
A61K 7/16, 7/22	<b>A1</b>		3) International Publication Date:	30 May 1996 (30.05.96)
(21) International Application Number: PCT/US9 (22) International Filing Date: 27 October 1995 (2 (30) Priority Data:	27.10.9	-	(81) Designated States: AM, AU, BB, F EE, FI, GE, HU, IS, JP, KG, K LV, MD, MG, MK, MN, MX, N SI, SK, TJ, TM, TT, UA, UZ, BE, CH, DE, DK, ES, FR, GB, PT, SE), OAPI patent (BF, BJ, C	P, KR, KZ, LK, LR, LT, VO, NZ, PL, RO, RU, SG, VN, European patent (AT, GR, IE, IT, LU, MC, NL,
08/341,716 18 November 1994 (18.11.94		JS	ML, MR, NE, SN, TD, TG), AR SD, SZ, UG).	IPO patent (KE, LS, MW,
(71) Applicant: THE PROCTER & GAMBLE CON [US/US]; One Procter & Gamble Plaza, Cincinn 45202 (US).	MPAN iati, O	H	Published With international search report.	
(72) Inventors: SANKER, Lowell, Alan; 7609 Carriag Montgomery, OH 45242 (US). UPSON, James, 11268 Springfield Pike, Springdale, OH 45246 (US)	, Grigg	e, g;		
(74) Agents: REED, T., David et al.; The Procter & Company, 5299 Spring Grove Avenue, Cincinna 45217 (US).	Gambl ati, Ol	le H		
(54) Title: ORAL COMPOSITIONS				

#### (57) Abstract

Disclosed are oral compositions such as toothpastes, mouthrinses, liquid dentifrices, lozenges and gums containing at least one phosphate derivative and a copper source.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria				
AU	Australia	GB	United Kingdom	MR	Mauritania
BB	Barbados	GE	Georgia	MW	Malawi
BE	Belgium	GN	Guinea	NE	Niger
BF	Burkina Faso	GR	Greece	NL	Netherlands
BG		HU	Hungary	NO	Norway
BJ	Bulgaria	IE	Ireland	NZ	New Zealand
BR	Benin	IT	Italy	PL	Poland
	Brazil	JP	Japan	PT	
BY	Belarus	KE	Kenya	RO	Portugal
CA	Canada	KG	Kyrgystan	RU	Romania
CF	Central African Republic	KP	Democratic People's Republic		Russian Federation
CG	Congo		of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	KZ	Kazakhstan	SI	Slovenia
CM	Cameroon	LI		SK	Slovakia
CN	China	LK	Liechtenstein	SN	Senegal
CS	Czechoslovakia		Sri Lanka	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
ES	Spain	MD	Republic of Moldova	UA	Ukraine
FI	Finland	MG	Madagascar	US	United States of America
FR		ML	Mali	UZ	Uzbekistan
	France	MN	Mongolia	VN	Viet Nam
GA	Gabon			***	A RET LANDII

10

15

20

25

30

35

#### ORAL COMPOSITIONS

#### TECHNICAL FIELD

The present invention relates to oral compositions which provide antiplaque and antigingivitis benefits as well as being effective against other anaerobic infections of the mouth.

### **BACKGROUND OF THE INVENTION**

Plaque induced diseases, including periodontitis and gingivitis, are believed to involve anaerobic bacterial infections. Periodontal disease affects the periodontium, which is the investing and supporting tissue surrounding a tooth (i.e., the periodontal ligament, the gingiva, and the alveolar bone). Gingivitis and periodontitis are inflammatory disorders of the gingiva and the periodontal ligament, respectively. Gingivosis and periodontosis are more severe conditions involving degenerative disorders of the tissue. Combinations of inflammatory and degenerative conditions are termed periodontitis complex.

Periodontal disease is a major cause of tooth loss in adults. Tooth loss from periodontal disease is a significant problem beginning at age 35, but even by age 15 it is estimated that about 4 out of 5 persons already have gingivitis and 4 out of 10 have periodontitis.

While good oral hygiene, as achieved by brushing the teeth with a cleansing dentifrice, may help reduce the incidence of periodontal disease, it does not necessarily prevent or eliminate its occurrence. This is because microorganisms contribute to both the initiation and progress of periodontal disease. Thus, in order to prevent or treat periodontal disease, these microorganisms must be suppressed by some means other than simple mechanical scrubbing. Towards this end, there has been a great deal of research aimed at developing therapeutic dentifrices, mouthwashes, and methods of treating periodontal disease which are effective in suppressing these microorganisms.

The use of copper compounds in oral products have been widely published. One such reference, <u>U.S. Patent 4,332,791</u>, issued June 1, 1982 to Raaf et al., describes combinations containing copper salts in dentifrice compositions employing a silica abrasive. Similar references include <u>U.S. Patent 4,652,444</u>, issued March 14, 1987, to Maurer and U.S. Patent Application Serial Number 08/096,535 to Mobley et al., filed July 22, 1993, each further describing the use of copper compounds in oral care products.

An important disadvantage of these compounds, however, relates to the

10

15

20

unpleasant aftertaste associated with their oral use. The importance of such a disadvantage becomes apparent when viewed in light of consumer satisfaction. Products with poor flavor, or unpleasant after-tastes may limit consumer satisfaction and, eventually, consumer usage.

The present inventors have discovered that the compositions of the present invention which contain copper compounds along with certain phosphate derivatives, provide improved tasting, antiplaque/antigingivitis compositions. Additionally, the present inventors have found that incorporating such phosphate derivatives provides improved actual and/or perceived efficacy of the resultant compositions. Further, these phosphate derivatives result in oral compositions providing a delayed flavor onset.

It is therefore an object of the present invention is to provide improved copper containing, oral compositions comprising a combination of phosphate derivatives.

Another object of the present invention is to provide good-tasting oral compositions effective in preventing and treating diseases of the oral cavity and preventing mouth odor.

A further object of the present invention is to provide methods for preventing and treating diseases of the oral cavity.


These and other objects will become readily apparent from the disclosure which follows.

All percentages and ratios used herein are by weight unless otherwise specified. Also, all measurements referred to herein are made at 25°C in the composition unless otherwise specified.

### SUMMARY OF THE INVENTION

The present invention relates to oral compositions, comprising:

a) from about 0.001% to about 25% of at least one phosphate derivative having the structure:



10

15

20

25

30

35

b)

wherein R is selected from the group consisting of a coolant component, a sweetener component, and a flavorant component; wherein R' and R" are independently selected from the group consisting of R, an adherent component, M<sup>+</sup>, M<sup>++</sup>, C<sup>+</sup>, and hydrogen; wherein X, X', X" are independently selected from the group consisting of oxygen, nitrogen, and sulfur;

- wherein n is an integer from 1 to 3; a safe and effective amount of a copper ion source; and
- c) a pharmaceutically acceptable oral carrier.

The present invention also relates to the above compositions further comprising a flavoring agent.

The present invention further relates to methods of treating or preventing diseases of the oral cavity.

By "oral composition," as used herein, means a product which in the ordinary course of usage is not intentionally swallowed for purposes of systemic administration of particular therapeutic agents, but is rather retained in the oral cavity for a time sufficient to contact substantially all of the dental surfaces and/or oral tissues for purposes of oral activity.

By "safe and effective amount" as used herein means sufficient amount of material to provide the desired benefit while being safe to the hard and soft tissues of the oral cavity.

By the term "pharmaceutically acceptable oral carrier," as used herein, means a suitable vehicle which can be used to apply the present compositions to the oral cavity in a safe and effective manner.

All levels and ratios are by weight of the total composition, unless otherwise indicated. Additionally, all measurements are made at 25°C unless otherwise specified.

#### **DETAILED DESCRIPTION OF THE INVENTION**

The essential as well as optional components of the compositions of the present invention are described in the following paragraphs.

#### **ESSENTIAL COMPONENTS**

#### Phosphate Derivatives

The compositions of the present invention contain one or more phosphate derivatives. These compounds may be formulated by phosphorylating at least one coolant, sweetener or flavorant component. These compounds also include linking at least one coolant, sweetener or flavorant component to an adherent component via a phosphate bridge. In addition, pyrophosphate and triphosphate groupings may be

10

15

20

25

30

35

substituted for the phosphate group. Coolant, flavorant, or adherent components may also be linked to phosphorous via two functional groups or attachment sites. Furthermore, the phosphate derivatives described above may be bound via Coulombic interaction with charged compounds or materials, including polymers.

The present compositions may deliver the desired coolant, flavorant and/or sweetener qualities through the action of the phosphate derivative itself. The compositions may also provide a sustained or delayed effect since release of the coolant, flavorant and/or sweetener component from the molecule does not occur until cleavage of the phosphate from the coolant, flavorant and/or sweetener by phosphatase enzymes. Without being limited by theory, it is believed that this sustained or delayed release profile provides improved actual and/or perceived efficacy. The phosphatase enzymes may include, but are not limited to, acidic, basic, or pyrophosphatases.

The term "coolant component" as used herein refers to coolant compounds having a hydroxy, amino, or thiol functionality which is capable of forming an ester, amido, or thioester linkage with a phosphorus(V) atom. Preferred coolant components are selected from the group consisting of menthol, 3-l-menthoxypropane-1,2-diol (TK-10 supplied by Takasago Perfumery Co., Ltd., Tokyo, Japan), menthone glycerol acetal ("MGA"), N-ethyl-p-menthane-3-carboxamide (WS-3 supplied by Sterling Organics), N,2,3-trimethyl-2-isopropylbutanamide (WS-23 supplied by SCM Glidco Organics) or menthyl lactate. While the terms "menthol" and "menthyl" as used herein can include the dextro- or levo-rotatory isomers of these compounds or racemic mixtures thereof, the preferred embodiments of the present invention incorporate the levorotatory isomers.

The term "flavorant component" as used herein refers to flavorant chemicals having a hydroxy, amino, or thiol functionality which is capable of forming either an ester, amido, or thioester linkage with a phosphorus(V) atom. Flavorant chemicals suitable for use in the present invention include hexanol, octanol, decanol, geranolol, ethyl maltol, para-hydroxy phenylbutanone, phenyl ethyl alcohol, thymol, eugenol, eucalyptol, methyl salicylate, ethyl vanillin, vanillin, cinnamaldehyde glycerol acetal ("CGA"), or linalool. Further examples of suitable chemical flavorants are described in S. Arctander, Perfume and Flavor Chemicals, (1969) and Allure Publishing Corporation's Flavor and Fragrance Materials, (1993), both of which are herein incorporated by reference.

The term "sweetener component" as used herein refers to sweetener compounds having a hydroxy, amino, or thiol functionality which is capable of forming either an ester, amido, or thioester linkage with a phosphorus(V) atom. Preferred

15

20

25


-sweetener components are saccharin, xylitol, mannitol, sorbitol, acesulfame K, aspartame, and neohesperidin dihydrochalcone.

The term "adherent component" as used herein refers to either monomers, oligomers, or polymers having hydroxy, amino, or thiol functionalities which are capable of forming either ester amido, or thioester linkages with phosphorus(V) atoms. The monomers, oligomers, or polymers may also possess additional hydroxy, amino, or thiol groups which may either remain unsubstituted or be linked via ester amido, or thioester linkages to a phosphorus(V) atom which is also attached to a coolant, flavor, or active portion. Preferred compounds are selected from the group consisting of C12-C18 diacyl glycerol, partially hydrolyzed vinyl acetate/ethylene copolymer, cellulose, chitin, glucosamine, silica gel, glycerol, and lower alkyl vinyl ether-maleic acids.

The terms "M+" and "M++" as used herein refer to physiologically relevant metal cations. The phrase "physiologically relevant metal cations" as used herein refers to metal cations that are significant to the organic or bodily processes of a human or lower animal. Preferred "M+" cations are sodium and potassium. Preferred "M++" cations are calcium, zinc, magnesium, manganese, copper, and stannous.

The term "C+" as used herein refers to a cation. A cation as used herein refers to cations that contain positively charged nitrogen, phosphorus, oxygen, or sulfur atoms. Such cations may contain more than one positively-charged site and in the case of oligomers or polymers containing nitrogen, phosphorus, oxygen, or sulfur atoms, many positively-charged centers may exist. Preferred cations include ammonium, protonated amines such as protonated glucosamine, and partially or fully protonated amine-containing polymers such as protonated chitosan.

The phosphate derivatives of this invention are represented by the following formula:



In the above formula,

10

15

20

25

R is selected from the group consisting of a coolant component, a sweetener component, and a flavorant component;


R' and R" are independently selected from the group consisting of R, an adherent component, M+, M++, C+, and hydrogen;

X, X', and X" are independently selected from the group consisting of oxygen, nitrogen, and sulfur; and

n is an integer from 1 to 3.

In addition, R' may equal R", preferably wherein R' and R" are selected from the group consisting of calcium, zinc, magnesium, manganese, copper and stannous.

Preferred phosphate derivatives have the formula:



In the above formula:

R is selected from the group consisting of menthol, TK-10, WS-3, WS-23, MGA, methyl salicylate, acesulfame K, aspartame, saccharin, mannitol, sorbitol, neohesperidin dihydrochalcone, eugenol, vanillin, thymol, CGA, and linalool;

R' and R" are independently selected from the group consisting of R, C12-C18 diacyl glycerol, partially hydrolyzed vinyl acetate-ethylene co-polymer, cellulose, chitin, glucosamine, silica gel, glycerol, lower alkyl vinyl ether-maleic acids, sodium, potassium, calcium, zinc, magnesium, manganese, copper and stannous, ammonium, protonated amines, partially or fully protonated amine-containing polymers, and hydrogen;

X, X', and X" are independently selected from the group consisting of oxygen, nitrogen, and sulfur; and

n is and integer from 1 to 3.

In addition, R' may equal R", preferably wherein R' and R" are independently selected from the group consisting of calcium, zinc, magnesium, manganese, copper and stannous.

Most preferred phosphate derivatives are menthyl monophosphate, eugenyl monophosphate, thymyl monophosphate, vanillyl monophosphate. The phosphate

15

20

25

30

derivatives are used in the present invention at levels of from about 0.001% to about 25%, preferably from about 0.01% to about 15%, and most preferably from about 0.10% to about 5% by weight of the composition. Mixtures of the above described phosphate derivatives may also be used, improving the phosphate derivative activity.

#### 5 Copper ion source

Another essential component of the present invention is a compound providing a readily available source of copper ions. Compounds useful as such a copper ion source may be present in the compositions of the present invention at levels between about 1 and about 8000 ppm of copper ions. The preferred range being from about 25 to about 6000 ppm, with the most preferred range being from about 50 to about 4000 ppm. For dentifrices the preferred levels are from about 50 to about 8000 ppm, more preferably from about 100 to about 6000 ppm, and most preferably from about 100 to about 4000 ppm. For rinses the levels are preferably from about 25 to about 1000 ppm, more preferably from about 50 to about 750 ppm, and most preferably from about 50 to about 500 ppm. For lozenges and chewing gums levels as low as about 1 ppm copper are effective.

Suitable inorganic copper ion sources include copper chloride, CuCl<sub>2</sub>, and the dihydrate thereof; copper fluoride, CuF<sub>2</sub> and the dihydrate thereof; copper fluorosilicate, CuSiF<sub>6</sub>, and the hexahydrate thereof; copper sulphate, CuSO<sub>4</sub>, and the pentahydrate thereof; copper nitrate and the tri- and hexa-hydrates thereof; and also less popular copper salts, such as copper bromide, CuBr<sub>2</sub>; copper metaborate, Cu(BO<sub>2</sub>)<sub>2</sub>; copper bromate, Cu(BrO<sub>3</sub>)<sub>2</sub>; copper chlorate; Cu(ClO<sub>3</sub>)<sub>2</sub> 6-H<sub>2</sub>O; copper iodate, Cu(IO<sub>3</sub>)<sub>2</sub>, copper fluorophosphate, CuPO<sub>3</sub>F, or mixtures thereof.

Preferred copper salts of organic acids include copper acetate, copper formiate, copper benzoate, copper citrate, copper tartrate, copper lactate, copper malate, copper lysinate, copper mandelate, copper sorbate, copper pantothenate, copper gluconate, copper phytate, copper glycerophosphate, copper cinnamate, copper butyrate, copper propionate, copper laurate, copper oxalate, copper salicy-late, copper glycinate, copper bis-glycinate or mixtures thereof. Mixtures of inorganic or organic salts may also be used.

A preferred copper ion source for the compositions of the present invention is copper bis-glycinate. Copper bis-glycinate is further described in U.S. Patent Application Serial Number 08/096,535 to Mobley et al., filed July 22, 1993, herein incorporated by reference.

#### 35 Pharmaceutically Acceptable Carrier

The carrier for the active ingredient(s) herein can be any composition suitable for use in the oral cavity. Such compositions include toothpastes, mouthrinses, liquid

10

15

20

25

30

35

dentifrices, lozenges, chewing gums or other vehicles suitable for use in the oral cavity. Toothpaste and mouthrinses are the preferred systems.

The abrasive polishing material contemplated for use in the toothpaste compositions of the present invention can be any material which does not excessively abrade dentin. These include, for example, silicas including gels and precipitates, calcium carbonate, dicalcium orthophosphate dihydrate, calcium pyrophosphate, tricalcium phosphate, calcium polymetaphosphate, insoluble sodium polymetaphosphate, hydrated alumina, and resinous abrasive materials such as particulate condensation products of urea and formaldehyde, and others such as disclosed by Cooley et al. in <u>U.S. Patent 3,070,510</u>, December 25, 1962, incorporated herein by reference. Mixtures of abrasives may also be used.

Silica dental abrasives, of various types, can provide the unique benefits of exceptional dental cleaning and polishing performance without unduly abrading tooth enamel or dentin. For these reasons they are preferred for use herein.

The silica abrasive polishing materials useful herein, as well as the other abrasives, generally have an average particle size ranging between about 0.1 and 30 microns, preferably 5 and 15 microns. The silica abrasive can be precipitated silica or silica gels such as the silica xerogels described in Pader et al., <u>U.S. Patent 3.538.230</u>, issued March 2, 1970 and DiGiulio, <u>U.S. Patent 3.862.307</u>, June 21, 1975, both incorporated herein by reference. Preferred are the silica xerogels marketed under the tradename "Syloid" by W. R. Grace & Company, Davison Chemical Division. Preferred precipitated silica materials include those marketed by the J. M. Huber Corporation under the tradename, "Zeodent", particularly the silicas carrying the designation "Zeodent 119" and "Zeodent 128". A further description of silica abrasives suitable for use in the present invention are found in <u>U.S. Patent 4,340,583</u>, July 29, 1982, incorporated herein by reference.

The abrasive in the toothpaste compositions described herein is present at a level of from about 6% to 70%, preferably from about 15% to about 25%.

Flavoring agents can also be added to toothpaste compositions. Suitable flavoring agents include oil of wintergreen, oil of peppermint, oil of spearmint, oil of cloves or mixtures thereof. Additional flavoring agents useful in the compositions of the present invention apart from those mentioned as components of the phosphate derivatives include anise, cassia, anethole, dihydroanethole, ethyl maltol, estragole, menthol, para-hydroxy phenylbutanone, phenyl ethyl alcohol, sweet birch, thymol, eugenol, eucalyptol, cinnamic aldehyde, menthone, alpha-ionone, ethyl vanillin, vanillin, limonene, isoamylacetate, benzaldehyde, ethylbutyrate, cinnamaldehyde glycerol acetal ("CGA"), linalool, l-carvone, and mixtures thereof. Further examples

10

15

20

25

30

35

of suitable flavoring agents are described in S. Arctander, <u>Perfume and Flavor Materials of Natural Origin</u>, (1960), herein incorporated by reference, and in the above mentioned Allure's <u>Flavor and Fragrance Materials</u>. Sweetening agents which can be used include aspartame, accesulfame K, saccharin, dextrose, levulose, xylitol, mannitol and sodium cyclamate. Flavoring and sweetening agents are generally used in toothpastes at levels of from about 0.005% to about 2% by weight.

Toothpaste compositions can also contain emulsifying agents. Suitable emulsifying agents are those which are reasonably stable and foam at a wide pH range, including non-soap anionic, nonionic, cationic, zwitterionic and amphoteric organic synthetic detergents. Many of these suitable agents are disclosed by Gieske et al. in U.S. Patent 4,051,234, September 27, 1977, incorporated herein by reference. The emulsifying agents are present at a level of from about 0.5% to about 10.0%.

Water is also present in the toothpastes of this invention. Water employed in the preparation of commercially suitable toothpastes should preferably be deionized and free of organic impurities. Water generally comprises from about 10% to 50%, preferably from about 30% to 50%, by weight of the toothpaste compositions herein. These amounts of water include the free water which is added plus that which is introduced with other materials such as with sorbitol.

In preparing toothpastes, it is necessary to add some thickening material to provide a desirable consistency. Preferred thickening agents are carboxyvinyl polymers, carrageenan, hydroxyethyl cellulose and water soluble salts of cellulose ethers such as sodium carboxymethyl cellulose and sodium carboxymethyl hydroxyethyl cellulose. Natural gums such as gum karaya, xanthan gum, gum arabic, and gum tragacanth can also be used. Colloidal magnesium aluminum silicate or finely divided silica can be used as part of the thickening agent to further improve texture. Thickening agents in an amount from 0.2% to 5.0% by weight of the total composition can be used.

It is also desirable to include some humectant material in a toothpaste to keep it from hardening. Suitable humectants include glycerin, sorbitol, and other edible polyhydric alcohols at a level of from about 10% to about 70%.

Another preferred embodiment of the present invention is a mouthwash composition. Conventional mouthwash composition components can comprise the carrier for the agents of the present invention. Mouthwashes generally comprise from about 20:1 to about 2:1 of a water/ethyl alcohol solution or be alcohol free and, preferably, other ingredients such as flavors, sweeteners, humectants and sudsing agents such as those mentioned above for dentifrices. The humectants, such as glycerin and sorbitol give a moist feel to the mouth. Generally, on a weight basis the

10

15

20

mouthwashes of the invention comprise 0% to 30% (preferably 0% to 5%) ethyl alcohol, 0% to 30% (preferably 5% to 30%) of a humectant, 0% to 2% (preferably 0.01% to 1.0%) emulsifying agents, 0% to 0.5% (preferably 0.005% to 0.10%) sweetening agent such as saccharin, 0% to 0.6% (preferably 0.03% to 0.3%) flavoring agent, and the balance water. Other optional components described herein earlier for use in toothpaste products are also useful in the mouthwash composition.

Suitable lozenge and chewing gum components are disclosed in <u>U.S. Patent</u> <u>4,083,955</u>, April 11, 1978 to Grabenstetter, incorporated herein by reference in its entirety.

An additional optional ingredient for use in the compositions of the present invention is a soluble fluoride ion source. Such sources include sodium fluoride, stannous fluoride, sodium monofluorophosphate and are used in amounts sufficient to provide from about 10 to about 3500 ppm F.

Other optional components are non-cationic water insoluble agents such as triclosan. Such materials are disclosed in <u>U. S. 4,022,889</u>, to Vinson et al., incorporated herein by reference in its entirety.

The pH of the present compositions and/or the pH in the mouth can be any pH which is safe for the mouth's hard and soft tissues. Such pH's are generally from about 4.0 to about 9.5, preferably from about 4.5 to about 8.5. Buffers may be added to maintain this pH. Such buffers should, however, not complex with copper ions in a manner such that the functioning of the compositions of this invention is hindered.

A method of manufacture for the present compositions is found in the examples.

25

30

### **COMPOSITION USE**

The present compositions are used in a conventional manner wherein the amounts of product are what users generally use.

The following examples further describe and demonstrate preferred embodiments within the scope of the present invention. The examples are given solely for illustration and are not to be construed as limitations of this invention as many variations thereof are possible without departing from the spirit and scope thereof.

#### **EXAMPLES**

#### **EXAMPLES 1-5**

Given below are five mouthrinse examples representative of the present invention.

	Component		Weigh	ıt %		
		<u>Ex. 1</u>	Ex. 2	Ex. 3	Ex. 4	Ex. 5
	Water	70.86	87.41	69.15	62.38	73.13
	Sorbitol Solution (70% Aqueous)	10.25			8.85	7.25
5	Sodium Saccharin	0.08	0.07	0.06	0.08	0.07
	Ethyl Alcohol	10.60		18.74	14.48	12.20
	PEG 40 hydrogenated caster oil l	0.46	0.75	10.74	0.34	
	Sodium Alkyl Sulfate Soln (27.9%)	0.75	0.75	0.60		0.57
	Copper Sulfate	0.05	0.73		0.60	0.75
10	Glycine	0.03		0.10	0.20	0.05
	Peppermint Flavor		0.06	0.06	0.12	0.03
	Glycerin	0.24	0.20	0.19	0.16	0.20
	•	6.18	10.26	10.45	12.35	5.37
	Eugenyl Monophosphate	0.15			0.32	
	Vanillyl Monophosphate	0.35				0.38
15	Thymyl Monophosphate		0.40	0.20	0.12	
	Menthyl Monophosphate			0.45		

<sup>&</sup>lt;sup>1</sup>Available from BASF-Wyandotte, Parsippany, N.J. under the tradename Cremophor RH40.

EXAMPLES 6-10

Given below are five dentifrice examples representative of the present invention.

<u>C</u>	omponent		<u>v</u>	Veight %		
		<u>Ex. 6</u>	<u>Ex. 7</u>	Ex. 8	Ex. 9	Ex. 10
25 W	/ater	7.82	17.14	8.02	4.38	14.79
So	orbitol Solution (70% Aqueous)	54.27	46.86	52.45	58.48	47.25
So	odium Saccharin	0.37	0.40	0.30	0.38	0.35
So	odium Fluoride	0.24	0.24	0.24	0.24	0.24
Ca	arboxy Methyl Cellulose	1.00	0.75	1.10	0.95	1.07
30 Sc	odium Alkyl Sulfate Soln (27.9%)	4.20	3.85	5.30	3.45	3.75
Ti	tanium Dioxide	0.53	0.53	0.53	0.53	0.53
Sil	lica	23.00	22.50	23.40	22.40	22.50
Sc	odium Hydroxide (50% Soln.)	0.22	0.22	0.10	0.10	0.22
Co	opper Sulfate	0.41	0.41	0.21	0.21	0.41
35 Gl	ycine	0.24	0.24	0.12	0.12	0.24
Pe	ppermint Flavor	1.20	1.10	1.05	1.16	1.20
Gl	ycerin	5.30	4.86	5.68	6.25	3.95

WO 96/15768		PCT/US95/14013
	12	


••• · · · · · · · · · · · · · · · · · ·					
Eugenyl Monophosphate	0.35			1.35	1.20
Vanillyl Monophosphate	0.05				1.20
v analys resolvophosphate	0.85		1.00		0.80
Thymyl Monophosphate		0.90			0.00
Monthal Manager		0.70			
Menthyl Monophosphate			0.50		1.50

	Component	<u>v</u>	eight %
		<u>Ex. 11</u>	<u>Ex. 12</u>
	Water	7.82	17.84
	Sorbitol Solution (70% Aqueous)	54.27	46.86
10	Sodium Saccharin	0.37	0.40
	Sodium Fluoride	0.24	0.24
	Carboxy Methyl Cellulose	1.00	0.75
	Sodium Alkyl Sulfate Soln (27.9%)	4.20	3.85
	Titanium Dioxide	0.53	0.53
15	Silica	23.00	22.50
	Sodium Hydroxide (50% Soln.)	0.22	0.22
	Copper Sulfate	0.41	0.41
	Glycine	0.24	0.24
	Peppermint Flavor	1.20	1.10
20	Glycerin	5.30	4.86
	Menthyl Monophosphate	1.20	
	Saccharin Monophosphate	1.20	0.20

WHAT IS CLAIMED IS:

### What is Claimed is:

- 1. An oral composition, comprising:
  - a) from 0.001% to 25% of at least one phosphate derivative having the structure:



wherein R is selected from the group consisting of a coolant component, a sweetener component, and a flavorant component; wherein R' and R" are independently selected from the group consisting of R, an adherent component, M<sup>+</sup>, M<sup>++</sup>, C<sup>+</sup>, and hydrogen; wherein X, X', X" are independently selected from the group consisting of oxygen, nitrogen, and sulfur, the phosphate derivative, preferably selected from the group consisting of eugenyl monophosphate, vanillyl monophosphate, thymyl monophosphate, menthyl monophosphate and mixtures thereof, most preferably comprising eugenyl monophosphate and vanillyl monophosphate; wherein n is an integer from 1 to 3:

- b) a safe and effective amount of a copper ion source, preferably providing from 1 to 8000 parts per million copper ions and more preferably selected from the group consisting of copper bis-glycinate, copper gluconate and mixtures thereof; and
- c) a pharmaceutically acceptable oral carrier, preferably a liquid dentifrice carrier, more preferably a mouthwash carrier, most preferably a toothpaste carrier.
- 2. An oral composition according to Claim 1, further comprising a flavoring agent selected from the group consisting of anise, cassia, clove, anethole, dihydroanethole, estragole, menthol, peppermint, para-hydroxy phenylbutanone, ethyl maltol, phenyl ethyl alcohol, sweet birch, thymol, eugenol,

eucalyptol, wintergreen, spearmint, cinnamic aldehyde, menthone, alpha-ionone, ethyl vanillin, vanillin, limonene, isoamylacetate, benzaldehyde, ethylbutyrate, cinnamaldehyde glycerol acetal ("CGA"), linalool, l-carvone, and mixtures thereof.

- 3. An oral composition according to any one of the preceding Claims, further comprising a cooling agent selected from the group consisting of: 3-1-menthoxypropane 1,2-diol, N-ethyl-p-menthane-3-carboxamide, N,2,3-trimethyl-2-isopropylbutanamide and mixtures thereof.
- 4. An oral composition according to any one of the preceding Claims, further comprising a dentally acceptable abrasive, preferably a silica abrasive.
- 5. An oral composition according to any one of the preceding Claims, further comprising a fluoride ion source, preferably sodium fluoride.
- 6. An oral composition according to any one of the preceding Claims, further comprising a humectant.
- 7. An oral composition according to any one of the preceding Claims, further comprising from 0 to 30% ethanol.
- 8. An oral composition according to any one of the preceding Claims, wherein the orally acceptable carrier is a lozenge or a chewing gum.

# INTERNATIONAL SEARCH REPORT

Int onal Application No PCT/US 95/14013

			101/03 33/14013
IPC 6	SIFICATION OF SUBJECT MATTER A61K7/16 A61K7/22		
	to International Patent Classification (IPC) or to both national	classification and IPC	
	OS SEARCHED		
IPC 6	documentation searched (classification system followed by class A61K	, .	
	ation searched other than minimum documentation to the extent		
	MENTS CONSIDERED TO BE RELEVANT		· •
Category *	Citation of document, with indication, where appropriate, of t	he relevant passages	Relevant to claim No.
A,P	WO,A,95 07683 (PROCTER & GAMBLE 1995 see the whole document	E) 23 March	1-8
A,P	WO,A,94 26243 (PROCTER & GAMBLE November 1994 see the whole document	E) 24	1-8
A	EP,A,O 512 599 (UNILEVER) 11 No see the whole document	vember 1992	1-8
A	US,A,5 244 651 (KAYANE ET AL.) September 1993 see the whole document	14	1-8
Furth	ner documents are listed in the continuation of box C.	Y Patent family men	nbers are listed in annex.
* Special cate	egories of cited documents:		
conside	ent defining the general state of the art which is not ered to be of particular relevance	or priority date and ne	ed after the international filing date of in conflict with the application but e principle or theory underlying the
filing d	document but published on or after the international late int which may throw doubts on priority claim(s) or	"X" document of particular cannot be considered	relevance; the claimed invention novel or cannot be considered to ep when the document is taken alone
which is citation	is cited to establish the publication date of another or other special reason (as specified) intreferring to an oral disclosure, use, exhibition or	"Y" document of particular cannot be considered to	relevance; the claimed invention to involve an inventive step when the with one or more other such docu-
other m P' documer?	neans  nt published prior to the international filing date but an the priority date claimed		on being obvious to a person skilled
	ictual completion of the international search		international search report
	February 1996	23.02.9	·
Name and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+ 31-70) 340-3016	Fischer,	J.P.

## INTERNATIONAL SEARCH REPORT

information on patent family members

Int onal Application No PCT/US 95/14013

			<u>-</u>			
Patent document cited in search report	Publication date		t family iber(s)	Publication date		
WO-A-9507683	23-03-95	AU-B-	7683294	03-04-95		
WO-A-9426243	24-11-94	US-A- AU-B- CA-A-	5389360 6776494 2162663	14-02-95 12-12-94 24-11-94		
EP-A-512599	11-11-92	US-A- AT-T- DE-D-	5202111 131721 69206873	13-04-93 15-01-96 01-02-96		
US-A-5244651	14-09-93	JP-A- JP-A-	5070358 5117157	23-03-93 14-05-93		